

Exhibit A

```

{{ 'section-blog-post.css' | asset_url | stylesheet_tag }}

<article
  class="article-template"
  itemscope itemtype="http://schema.org/BlogPosting"
>

{%- for block in section.blocks -%}
{%- case block.type -%}

{%- when '@app' -%}
<div class="page-width page-width--narrow">
  {% render block %}
</div>

{%- when 'featured_image'-%}
{%- if article.image -%}
<div
  class="article-template__hero-container" {{ block.shopify_attributes }}>
  <div
    class="article-template__hero-{{ block.settings.image_height }} media"
    itemprop="image"
    {% if block.settings.image_height == 'adapt' and article.image %}>
      style="padding-bottom: {{ 1 | divided_by: article.image.aspect_ratio | times: 100 }}%;"
    {% endif %}
  </div>
<img
  srcset="{{ if article.image.width >= 350 }}{{ article.image | image_url: width: 350 }} 350w,{{ endif }}
  {{ if article.image.width >= 750 }}{{ article.image | image_url: width: 750 }} 750w,{{ endif }}
  {{ if article.image.width >= 1100 }}{{ article.image | image_url: width: 1100 }} 1100w,{{ endif }}
  {{ if article.image.width >= 1500 }}{{ article.image | image_url: width: 1500 }} 1500w,{{ endif }}
  {{ if article.image.width >= 2200 }}{{ article.image | image_url: width: 2200 }} 2200w,{{ endif }}
  {{ if article.image.width >= 3000 }}{{ article.image | image_url: width: 3000 }} 3000w,{{ endif }}
  {{ article.image | image_url }} {{ article.image.width }}w"
  sizes="(min-width: {{ settings.page_width }}px) {{ settings.page_width | minus: 100 }}px, (min-width: 750px) calc(100vw - 10rem), 100vw"
  src="{{ article.image | image_url: width: 1100 }}"
  loading="eager"
  width="{{ article.image.width }}"
  height="{{ article.image.height }}"
  alt="{{ article.image.alt | escape }}">
</div>
</div>
{%- endif -%}

{%- when 'title'-%}
<header class="page-width page-width--narrow" {{ block.shopify_attributes }}>
  <h1
    class="article-template__title">

```

DAWN

```

<link rel="stylesheet" href="{{asset_url 'section-main-article.css'}}" />

<article
  class="article-template"
>

{##with this as |global|}
{##each section.block_order as |blockId|}
  {##with (lookup ../section.blocks blockId)}>

{##if type === "select"}
{##if global.article.image.src}
<div
  class="page-width article-template__hero-container" {{shopline_attributes}}>
  <div
    class="article-template__hero-{{settings.image_height}} media"
    {%and (if settings.image_height === "adapt") (if global.article.image %}>
      style="padding-bottom:{{times (divide 1 global.article.image.aspect_ratio) 100 }}%;"
    {%end%}
  </div>
<img
  alt="image" data=global.article.image lazy=false fetchpriority="high">
</div>
</div>
{##if}
{##if}>

{##if type === "title"}
<header class="page-width" {{shopline_attributes}}>
  <h1
    class="article-template__title title4">

```

SEED

DAWN

```

itemprop="headline"
>
{{ article.title | escape }}
</h1>
{%- if block.settings.blog_show_date -%}
<span
  class="circle-divider caption-with-letter-spacing"
  itemprop="dateCreated pubdate datePublished"
>
  {{ article.published_at | time_tag: format: 'date' }}
</span>
{%- endif -%}
{%- if block.settings.blog_show_author -%}
<span
  class="caption-with-letter-spacing"
  itemprop="author"
  itemscope itemtype="http://schema.org/Person"
>
  <span itemprop="name">{{ article.author }}</span>
</span>
{%- endif -%}
</header>

{%- when 'content' -%}
<div
  class="article-template__content page-width page-width--narrow rte"
  itemprop="articleBody"
  {{ block.shopify_attributes }}
>
  {{ article.content }}
</div>

{%- when 'share' -%}
<div
  class="article-template__social-sharing page-width page-width--narrow"
  {{ block.shopify_attributes }}
>

<share-button class="share-button" {{ block.shopify_attributes }}>
<button class="share-button__button hidden">
  {% render 'icon-share' %}
  {{ block.settings.share_label | escape }}
</button>
<details id="Details-{{ block.id }}-{{ section.id }}">
  <summary class="share-button__button">

```

SEED

```

>
{{global.article.title}}
</h1>
{{#if settings.blog_show_date}}
<span
  class="circle-divider caption-with-letter-spacing body3"
>
  {{date global.article.published_at "abbreviated_date"}}
</span>
{{/if}}
{{#if settings.blog_show_author}}
<span
  class="caption-with-letter-spacing body3"
>
  <span itemprop="name">{{global.article.author}}</span>
</span>
{{/if}}
</header>
<div class="article-template__divide page-width"></div>
{{/if}}

{{#if type === "content"}}
<div
  class="article-template__content page-width rte body3"
  itemprop="articleBody"
  {{shopline_attributes}}
>
  {{global.article.content}}
</div>
{{/if}}

{{#if type === "share"}}
<div
  class="article-template__social-sharing page-width"
  {{shopline_attributes}}
>

{{assign "share_url" (append global.request.origin global.article.url)}}
{{snippet "share-button" share_link=share_url}}

```

DAWN

```

{% render 'icon-share' %}
{{ block.settings.share_label | escape }}
</summary>
<div id="Article-share-{{ section.id }}" class="share-button__fallback motion-reduce">
<div class="field">
  <span id="ShareMessage-{{ section.id }}" class="share-button__message hidden" role="status">
    </span>
  <input type="text"
    class="field__input"
    id="url"
    value="{{ request.origin | append: article.url }}"
    placeholder="{{ 'general.share.share_url' | t }}"
    onclick="this.select();"
    readonly
  >
  <label class="field__label" for="url">{{ 'general.share.share_url' | t }}</label>
</div>
<button class="share-button__close hidden no-js-hidden">
  {% render 'icon-close' %}
  <span class="visually-hidden">{{ 'general.share.close' | t }}</span>
</button>
<button class="share-button__copy no-js-hidden">
  {% render 'icon-clipboard' %}
  <span class="visually-hidden">{{ 'general.share.copy_to_clipboard' | t }}</span>
</button>
</div>
</details>
</share-button>
<script src="{{ 'share.js' | asset_url }}" defer="defer"></script>
</div>
{%- endcase -%}
{%- endfor -%}

<div class="article-template__back element-margin-top center">
<a
  href="{{ blog.url }}"
  class="article-template__link link animate-arrow"
>
  <span class="icon-wrap">
    {% render 'icon-arrow' %}
  </span>
  {{ 'blogs.article.back_to_blog' | t: title: blog.title }}
</a>
</div>
{%- if blog.comments_enabled? -%}
<div class="article-template__comment-wrapper background-secondary">

```

SEED

```

</div>
{%- if blog.comments_enabled? -%}
<div class="article-template__comment-wrapper">

```

DAWN

```

<div id="comments" class="page-width page-width--narrow">
  {% if article.comments_count > 0 -%}
    {% assign anchorid = '#Comments-' | append: article.id -%}
    <h2
      id="Comments-{{ article.id }}"
      tabindex="-1"
    >
      {{ 'blogs.article.comments' | t: count: article.comments_count }}

    </h2>
    {% paginate article.comments by 5 %}
    <div class="article-template__comments">
      {% if comment.status == 'pending' and comment.content -%}
        <article
          id="{{ comment.id }}"
          class="article-template__comments-comment"
        >
          {{ comment.content }}
          <footer class="right">
            <span class="circle-divider caption-with-letter-spacing">
              {{ comment.author }}
            </span>
          </footer>
        </article>
        {% endif -%}

      {% for comment in article.comments -%}
        <article
          id="{{ comment.id }}"
          class="article-template__comments-comment"
        >
          {{ comment.content }}
          <footer class="right">
            <span class="circle-divider caption-with-letter-spacing">
              {{ comment.author }}
            </span>
            <span class="caption-with-letter-spacing">
              {{ comment.created_at | time_tag: format: 'date' }}
            </span>
          </footer>
        </article>
        {% endfor -%}

      {% render 'pagination', paginate: paginate, anchor: anchorid %}
    </div>
  </div>

```

SEED

```

<div id="comments" class="page-width">
  {{#if article.comments_count > 0}}
    {{assign "anchor_id" (append "#Comments-" article.id)}}
    <h2
      id="{{anchor_id}}"
      class="article-template__comment-title title4"
      tabindex="-1"
    >
      {{#if article.comments_count == 1}}
        {{t "blog.comment.single_count" count=article.comments_count}}
      {{else}}
        {{t "blog.comment.title" count=article.comments_count}}
      {{/if}}
    </h2>
    {{#paginate article.comments by=5}}
      <div class="article-template__comments">
        {{#and (if comment.status == "pending") comment.content}}
          <article
            id="{{comment.id}}"
            class="article-template__comments-comment body3"
          >
            {{comment.content}}
            <footer class="right">
              <span class="circle-divider caption-with-letter-spacing body6">
                {{comment.author}}
              </span>
            </footer>
          </article>
        {{/and}}

        {{#each article.comments as |comment|}}
          <article
            id="{{comment.id}}"
            class="article-template__comments-comment body3"
          >
            {{comment.content}}
            <footer class="right">
              <span class="circle-divider caption-with-letter-spacing body6">
                {{comment.author}}
              </span>
              <span class="caption-with-letter-spacing body6">
                {{date comment.created_at "abbreviated_date"}}
              </span>
            </footer>
          </article>
        {{/each}}
        {{#if paginate.pages > 1}}
          {{snippet "pagination" paginate=paginate anchor=""}}
        {{/if}}
      </div>
    {{/paginate}}
  {{/if}}
</div>

```

```

</div>
{% endpaginate %}
{%- endif -%}

{% form 'new_comment', article %}

{%- liquid
  assign post_message = 'blogs.article.success'
  if blog.moderated? and comment.status == 'unapproved'
    assign post_message = 'blogs.article.success_moderated'
  endif
-%}

<h2>
  {{ 'blogs.article.comment_form_title' | t }}
</h2>
{%- if form.errors -%}


<h3
    class="form-status caption-large text-body"
    tabindex="-1"
    autofocus
  >
    {% render 'icon-error' %}
    {{ 'templates.contact.form.error_heading' | t }}
  </h3>
</div>
<ul class="form-status-list caption-large">
{%- for field in form.errors -%}
  <li>
    <a href="#CommentForm-{{ field }}" class="link">
      {%- if form.errors.translated_fields[field] contains 'author' -%}
        {{ 'blogs.article.name' | t }}
      {%- elsif form.errors.translated_fields[field] contains 'body'-%}
        {{ 'blogs.article.message' | t }}
      {%- else -%}
        {{ form.errors.translated_fields[field] }}
      {%- endif -%}
      {{ form.errors.messages[field] }}
    </a>
  </li>
{%- endfor -%}
</ul>

{%- elif form.posted_successfully? -%}
<div class="form-status-list form__message" role="status">


```

SEED

```

  {{/if}}
</div>
{{/paginate}}
{{/if}}


{{assign "moderated" blog.moderated}}
{{#form "new_comment" article}}


{{#and moderated form.posted_successfully}}
  {{assign "post_message" "blog.comment.comment_audit_tip"}}
{{else}}
  {{assign "post_message" "blog.comment.success"}}
{{/and}}


<h2 class="title4 comment_title">
  {{t "blog.comment.post_comment"}}
</h2>
{{#if form.errors.messages}}


<h3
  class="field__info field__info--error body6"
  tabindex="-1"
>
  {{snippet "icon-error"}}
  {{form.errors.messages}}
</h3>

{%- if form.posted_successfully -%}
{{/if}}
{{#if form.posted_successfully}}
```

```

<h3
  class="form-status"
  tabindex="-1"
  autofocus
>
  {% render 'icon-success' %}
  {{ post_message | t }}
</h3>
</div>
{%- endif -%}

<div
  {% if blog.moderated? == false %}
    class="article-template__comments-fields"
  {% endif %}
>
<div class="article-template__comment-fields">
<div class="field field--with-error">
  <input
    type="text"
    name="comment[author]"
    id="CommentForm-author"
    class="field__input"
    autocomplete="name"
    value="{{ form.author }}"
    aria-required="true"
    required
  {% if form.errors contains 'author' %}
    aria-invalid="true"
    aria-describedby="CommentForm-author-error"
  {% endif %}
    placeholder="{{ 'blogs.article.name' | t }}"
  >
  <label
    class="field__label"
    for="CommentForm-author"
  >
    {{ 'blogs.article.name' | t }}
    <span aria-hidden="true">*</span>
  </label>
{%- if form.errors contains 'author' -%}
  <small id="CommentForm-author-error">
    <span class="form__message">% render 'icon-error' %{{ 'blogs.article.name' | t }} {{ form.errors.messages['author'] }}.</span>
  </small>
{%- endif -%}
</div>
<div class="field field--with-error">
  <input

```

SEED

```

<h3
  class="field__info body6"
  tabindex="-1"
>
  {{snippet "icon-success"}}
  {{t post_message}}
</h3>
{}/if}

<div
  {{#unless blog.moderated}}
    class="article-template__comments-fields"
  {{/unless}}
>
<div class="article-template__comment-fields">
<div class="field field--with-error">
  <input
    type="text"
    name="comment[author]"
    id="CommentForm-author"
    class="field__input"
    autocomplete="name"
    value="{{form.author}}"
    required
    placeholder="{{t 'customer.account.name'}}"
  />
  <label
    class="field__label"
    for="CommentForm-author"
  >
    {{t "customer.account.name"}}
  </label>
</div>
<div class="field field--with-error">
  {{snippet

```

```

type="email"
name="comment[email]"
id="CommentForm-email"
autocomplete="email"
class="field__input"
value="{{ form.email }}"
autocorrect="off"
autocapitalize="off"
aria-required="true"
required
{% if form.errors contains 'email' %}
  aria-invalid="true"
  aria-describedby="CommentForm-email-error"
{% endif %}
placeholder="{{ 'blogs.article.email' | t }}"
>
<label
  class="field__label"
  for="CommentForm-email"
>
  {{ 'blogs.article.email' | t }}
  <span aria-hidden="true">*</span>
</label>
{%- if form.errors contains 'email' -%}
  <small id="CommentForm-email-error">
    <span class="form__message">{{ render 'icon-error' }}{{ 'blogs.article.email' | t }} {{ form.errors.messages['email'] }}.</span>
  </small>
{%- endif -%}
</div>
</div>
<div class="field field--with-error">
<textarea
  rows="5"
  name="comment[body]"
  id="CommentForm-body"
  class="text-area field__input"
  aria-required="true"
  required
  {% if form.errors contains 'body' %}
    aria-invalid="true"
    aria-describedby="CommentForm-body-error"
  {% endif %}
  placeholder="{{ 'blogs.article.message' | t }}"
>
  {{ form.body }}
</textarea>
<label

```

SEED

```

"input-email"
input_name="comment[email]"
input_id="CommentForm-email"
input_autocomplete="email"
input_class="field__input"
input_value=form.email
input_autocorrect="off"
input_autocapitalize="off"
input_required=true

input_placeholder=(t 'customer.account.email')
}
<label
  class="field__label"
  for="CommentForm-email"
>
  {{t "customer.account.email"}}
</label>

</div>
</div>
<div class="field field--with-error">
<textarea
  rows="5"
  name="comment[body]"
  id="CommentForm-body"
  class="field__input text-area"
  required
  placeholder="{{t 'blog.comment.post_comment'}}"
  value="{{form.body}}"
>
  {{form.body}}
</textarea>
<label

```

DAWN

```

    class="form__label field__label"
    for="CommentForm-body"
  >
  {{ 'blogs.article.message' | t }}
  <span aria-hidden="true">*</span>
</label>
</div>
{%- if form.errors contains 'body' -%}
  <small id="CommentForm-body-error">
    <span class="form__message">{{ render 'icon-error' }}{{ 'blogs.article.message' | t }}{{ form.errors.messages['body'] }}.</span>
  </small>
{%- endif -%}
</div>
{%- if blog.moderated? -%}
  <p class="article-template__comment-warning caption">
    {{ 'blogs.article.moderated' | t }}
  </p>
{%- endif -%}

<input type="submit" class="button" value="{{ 'blogs.article.post' | t }}">
{%- endform %}
</div>
{%- endif -%}
</article>

<script type="application/ld+json">
{
  "@context": "http://schema.org",
  "@type": "Article",
  "articleBody": {{ article.content | strip_html | json }},
  "mainEntityOfPage": {
    "@type": "WebPage",
    "@id": "{{ request.origin | append: page.url | json }}"
  },
  "headline": {{ article.title | json }},
  {% if article.excerpt != blank %}
  "description": {{ article.excerpt | strip_html | json }},
  {% endif %}
  {% if article.image %}
  "image": [
    {{ article | image_url: width: article.image.width | prepend: "https:" | json }}
  ],
  {% endif %}
  "datePublished": {{ article.published_at | date: '%Y-%m-%dT%H:%M:%SZ' | json }},
  "dateCreated": {{ article.created_at | date: '%Y-%m-%dT%H:%M:%SZ' | json }},
}

```

SEED

```

    class="form__label field__label"
    for="CommentForm-body"
  >
  {{t "blog.comment.post_comment"}}
</label>
</div>
</div>
{#if blog.moderated}
  <p class="article-template__comment-warning body6">
    {{t "blog.comment.moderated_tip"}}
  </p>
{/if}
<div class="article-template__comment-submit">
  <button type="submit" class="button">{{t "blog.comment.post_comment"}}</button>
</div>
{#/form}
</div>
</div>
{/if}
</article>

<script type="application/ld+json">
{
  "@context": "http://schema.org",
  "@type": "Article",
  "articleBody": {{{ json (strip_html article.content) }}},
  "mainEntityOfPage": {
    "@type": "WebPage",
    "@id": "{{{ append request.origin article.url }}}"
  },
  "headline": "{{ article.title }}",
  {#if article.excerpt}
  "description": {{{ json (strip_html article.excerpt) }}},
  {#/if}
  {#if article.image.src}
  "image": [
    {{{ article.image.src }}}
  ],
  {#/if}
  "datePublished": "{{ date (toInt article.published_at) '%Y-%m-%dT%H:%M:%SZ' }}",
  "dateCreated": "{{ date (toInt article.created_at) '%Y-%m-%dT%H:%M:%SZ' }}"
}

```

DAWN

```
"author": {  
    "@type": "Person",  
    "name": "{{ article.author | json }}"  
},  
"publisher": {  
    "@type": "Organization",  
    {% if settings.share_image %}  
        "logo": {  
            "@type": "ImageObject",  
            "height": "{{ settings.share_image.height | json }}",  
            "url": "{{ settings.share_image | image_url: width: settings.share_image.width | prepend: "https:" | json }}",  
            "width": "{{ settings.share_image.width | json }}"  
        },  
        {% endif %}  
        "name": "{{ shop.name | json }}"  
    }  
}  
</script>
```

...schema removed...

```
"author": {  
    "@type": "Person",  
    "name": "{{ article.author }}"  
},  
"publisher": {  
    "@type": "Organization",  
  
        "name": "{{ shop.name }}"  
    }  
</script>
```

...schema removed...

SEED